


PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

BASE UNIT



Product Code	Note	Door size
715-3PLPKP	Base cabinet / drawer 30 cm	703 x 295
715-4PLPKP	Base cabinet / drawer 40 cm	703 x 395
715-5PLPKP	Base cabinet / drawer 50 cm	703 x 495
715-6PLPKP	Base cabinet / drawer 60 cm	703 x 595
715-7PLPKP	Base cabinet / drawer 70 cm	703 x 295 and 703 x 395
715-8PLPKP	Base cabinet / drawer 80 cm	2 x 703 x 395
715-9PLPKP	Base cabinet / drawer 90 cm	703 x 395 and 703 x 495
715-10PLPKP	Base cabinet / drawer 100 cm	2 x 703 x 495
715-11PLPKP	Base cabinet / drawer 110 cm	703 x 495 and 703 x 595
715-12PLPKP	Base cabinet / drawer 120 cm	2 x 703 x 595

Contents

Components (Bottom and sides)	Back panel
Support bars	Bag of nails
Bag of glue	Shelf supports 5 mm
Assembly guide	

Product information

Height 715 mm, depth 568 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

The carcass is a combination carcass that can be used as both a shelf cabinet and a drawer unit

Door heights 703 mm and 562 mm (door + drawer front 137 mm)

Heights for drawer fronts: 350 mm (2 drawers), 278 mm (3 and 4) and 137 mm (3, 4 and 5)

Drawer box drillings according to customers' needs

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100

pakate.fi



**STRONGEST IN
FINLAND SILVER**
Pattijoen Kalustetekniikka Oy
FI08463157 | 2024



Page | 1

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

BASE UNIT 460



Product Code	Note	Door size
715-3PLPKP_460	Base cabinet/ drawer 463, 30 cm	703 x 295
715-4PLPKP_460	Base cabinet/ drawer 463, 40 cm	703 x 395
715-5PLPKP_460	Base cabinet/ drawer 463, 50 cm	703 x 495
715-6PLPKP_460	Base cabinet/ drawer 463, 60 cm	703 x 595
715-7PLPKP_460	Base cabinet/ drawer 463, 70 cm	703 x 295 and 703 x 395
715-8PLPKP_460	Base cabinet/ drawer 463, 80 cm	2 x 703 x 395
715-9PLPKP_460	Base cabinet/ drawer 463, 90 cm	703 x 395 and 703 x 495
715-10PLPKP_460	Base cabinet/ drawer 463, 100 cm	2 x 703 x 495
715-11PLPKP_460	Base cabinet/ drawer 463, 110 cm	703 x 495 and 703 x 595
715-12PLPKP_460	Base cabinet/ drawer 463, 120 cm	2 x 703 x 595

Contents

Components (Bottom and sides)	Back panel
Support bars	Bag of nails
Bag of glue	Shelf supports 5 mm
Assembly guide	

Product information

Height 715 mm, depth 463 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

The carcass is a combination carcass that can be used as both a shelf cabinet and a drawer unit

Door heights 703 mm and 562 mm (door + drawer front 137 mm)

Heights for drawer fronts: 350 mm (2 drawers), 278 mm (3 and 4) and 137 mm (3, 4 and 5)

Drawer box drillings according to customers' needs

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

BASE UNIT 288



Product Code	Note	Door size
715-3PLPKP_288	Base cabinet / drawer 288, 30 cm	703 x 295
715-4PLPKP_288	Base cabinet / drawer 288, 40 cm	703 x 395
715-5PLPKP_288	Base cabinet / drawer 288, 50 cm	703 x 495
715-6PLPKP_288	Base cabinet / drawer 288, 60 cm	703 x 595
715-7PLPKP_288	Base cabinet / drawer 288, 70 cm	703 x 295 and 703 x 395
715-8PLPKP_288	Base cabinet / drawer 288, 80 cm	2 x 703 x 395
715-9PLPKP_288	Base cabinet / drawer 288, 90 cm	703 x 395 and 703 x 495
715-10PLPKP_288	Base cabinet / drawer 288, 100 cm	2 x 703 x 495
715-11PLPKP_288	Base cabinet / drawer 288, 110 cm	703 x 495 and 703 x 595
715-12PLPKP_288	Base cabinet / drawer 288, 120 cm	2 x 703 x 595

Contents

Components (Bottom and sides)	Back panel
Support bars	Bag of nails
Bag of glue	Shelf supports 5 mm
Assembly guide	

Product information

Height 715 mm, depth 288 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

The carcass is a combination carcass that can be used as both a shelf cabinet and a drawer unit

Door heights 703 mm and 562 mm (door + drawer front 137 mm)

Heights for drawer fronts: 350 mm (2 drawers), 278 mm (3 and 4) and 137 mm (3, 4 and 5)

Drawer box drillings according to customers' needs

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

LOW BASE UNIT



Product Code	Note	Door size
574-3PLPKP	Low base cabinet / drawer 30 cm	562 x 295
574-4PLPKP	Low base cabinet / drawer 40 cm	562 x 395
574-5PLPKP	Low base cabinet / drawer 50 cm	562 x 495
574-6PLPKP	Low base cabinet / drawer 60 cm	562 x 595
574-7PLPKP	Low base cabinet / drawer 70 cm	562 x 295 and 562 x 395
574-8PLPKP	Low base cabinet / drawer 80 cm	2 x 562 x 395
574-9PLPKP	Low base cabinet / drawer 90 cm	562 x 395 and 562 x 495
574-10PLPKP	Low base cabinet / drawer 100 cm	2 x 562 x 495
574-11PLPKP	Low base cabinet / drawer 110 cm	562 x 495 and 562 x 595
574-12PLPKP	Low base cabinet / drawer 120 cm	2 x 562 x 595

Contents

Components (Bottom and sides)	Back panel
Support bars	Bag of nails
Bag of glue	Shelf supports 5 mm
Assembly guide	

Product information

Height 574 mm, depth 568 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

The carcass is a combination carcass that can be used as both a shelf cabinet and a drawer unit

Drawer box drillings according to customers' needs

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

LOW BASE UNIT



Product Code	Note	Door size
289-3PLPKP	Low base cabinet / drawer 30 cm	278 x 295
289-4PLPKP	Low base cabinet / drawer 40 cm	278 x 395
289-5PLPKP	Low base cabinet / drawer 50 cm	278 x 495
289-6PLPKP	Low base cabinet / drawer 60 cm	278 x 595
289-7PLPKP	Low base cabinet / drawer 70 cm	278 x 295 and 278 x 395
289-8PLPKP	Low base cabinet / drawer 80 cm	2 x 278 x 395
289-9PLPKP	Low base cabinet / drawer 90 cm	278 x 395 and 278 x 495
289-10PLPKP	Low base cabinet / drawer 100 cm	2 x 278 x 495
289-11PLPKP	Low base cabinet / drawer 110 cm	278 x 495 and 278 x 595
289-12PLPKP	Low base cabinet / drawer 120 cm	2 x 278 x 595

Contents

Components (Bottom and sides)	Back panel
Support bars	Bag of nails
Bag of glue	Shelf supports 5 mm
Assembly guide	

Product information

Height 289 mm, depth 568 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the top and bottom of the door

The carcass is a combination carcass that can be used as both a shelf cabinet and a drawer unit

Drawer box drillings according to customers' needs

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

CABINET FOR OVEN



Product Code	Note	Drawer front size
715-6UUNI	Cabinet for oven	95 x 595

Contents

Components (Bottoms and sides)	Back panel
Support bars	Bag of nails
Bag of glue	Assembly guide

Product information

Height 715 mm, depth 568 mm, width 600 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film


Drawer drillings

PRODUCT CATALOGUE


CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

BASE ANGLED CABINET



BASE END CABINET



Product Code	Note	Door size
VPK	Base Angled Cabinet	703 x 395
PHAKP	Base End Cabinet	--

Contents

VPK

Components (Bottoms and sides)
1 shelf
Bag of glue
Assembly guide

Back panel
Bag of nails
Shelf supports 5 mm

PHAKP

Components (side and back panel)
Bag of dowels and nails

3 fixed shelves
Assembly guide

Product information

VPK

Height 715 mm, depth 568 mm, width 300 mm
Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band
Back panel 3 mm MDF
Hinge drills: the center of the hole is 80 mm from the top and bottom of the door
The carcass is both left- and righthanded
Flat-packed in shrink film

PHAKP

Height 715 mm, depth 568 mm, width 301 mm
Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band
Flat-packed in shrink film

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

BASE OPEN LOCKER



Product Code	Note
PLAP-2	Base Open Locker 200
PLAP-3	Base Open Locker 300
PLAP-4	Base Open Locker 400

Contents

Components (bottoms and sides)	Back panel
Bag of glue	Bag of nails
Shelf supports 5 mm	Assembly guide

Product information

Height 715 mm, depth 568 mm, width 200/300/400 mm
Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band
Back panel 3 mm MDF
Flat-packed in shrink film

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

BASE CORNER UNIT



Product Code	Note	Door size
PKKP-9	Base corner cabinet 9 x 9	2 x 703 x 295
PKKP-10	Base corner cabinet 10 x 10	2 x 703 x 395

Contents

Components (bottoms and sides)	1 shelf
Support bars	Back panel
Bag of glue	Bag of nails
Shelf supports 5 mm	Assembly guide

Product information

Height 715 mm, depth 568 mm, width 885 x 887 mm (PKKP-9) and 985 x 987 mm (PKKP-10)

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bars 18 x 51 mm film-faced plywood

Hinge drills: the center of the hole is 80 mm from the top and bottom of the door

Flat-packed in shrink film

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

DISH WASHER CABINET



Product Code	Note	Drawer front size
APKP-6	Dish washer cabinet	Drawer front 278 x 595

Contents

Components (bottoms and sides)	Back panel
Stretchers (600 mm 2 pcs) (567 mm 2 pcs)	Shelf
Bag of nails	Bag of glue
Assembly guide	

Product information

Height 1055 mm, depth 568 mm, width 632 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bars 18 x 51 mm film-faced plywood

The cabinet consists of a low drawer unit (151 mm) and sides

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

TALL UNIT



Product Code	Note	Door size
220-3KOHP	Tall closet 30 cm	1750 x 295 and 445 x 295
220-4KOHP	Tall closet 40 cm	1750 x 395 and 445 x 395
220-5KOHP	Tall closet 50 cm	1750 x 495 and 445 x 495
220-6KOHP	Tall closet 60 cm	1750 x 595 and 445 x 595
220-7KOHP	Tall closet 70 cm	1750 x 295 & 1750 x 395 and 445 x 295 & 445 x 395
220-8KOHP	Tall closet 80 cm	2 x 1750 x 395 and 2 x 445 x 395
220-9KOHP	Tall closet 90 cm	1750 x 395 & 1750 x 495 and 445 x 395 & 445 x 495
220-10KOHP	Tall closet 100 cm	2 x 1750 x 495 and 2 x 445 x 495
220-11KOHP	Tall closet 110 cm	1750 x 495 & 1750 x 595 and 445 x 395 & 445 x 595
220-12KOHP	Tall closet 120 cm	2 x 1750 x 595 and 2 x 445 x 595

Contents

Components (Bottoms and sides)	Back panel
Support bar (support)	Bag of nails
Bag of glue	Shelf supports 5 mm
Assembly guide	

Product information

Height 2200 mm, depth 568 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

TALL UNIT



Product Code	Note	Door size
192-3KOHP	Tall closet 30 cm	1920 x 295
192-4KOHP	Tall closet 40 cm	1920 x 395
192-5KOHP	Tall closet 50 cm	1920 x 495
192-6KOHP	Tall closet 60 cm	1920 x 595
192-7KOHP	Tall closet 70 cm	1920 x 295 and 1920 x 395
192-8KOHP	Tall closet 80 cm	2 x 1920 x 395
192-9KOHP	Tall closet 90 cm	1920 x 395 and 1920 x 495
192-10KOHP	Tall closet 100 cm	2 x 1920 x 495
192-11KOHP	Tall closet 110 cm	1920 x 495 and 1920 x 595
192-12KOHP	Tall closet 120 cm	2 x 1920 x 595

Contents

Components (Bottom and sides)	Back panel
Support bar (support)	Bag of nails
Bag of glue	Shelf supports 5 mm
Assembly guide	

Product information

Height 1920 mm, depth 568 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

TALL UNIT



Product Code	Note	Door size
175-3KOHP	Tall closet 30 cm	1750 x 295
175-4KOHP	Tall closet 40 cm	1750 x 395
175-5KOHP	Tall closet 50 cm	1750 x 495
175-6KOHP	Tall closet 60 cm	1750 x 595
175-7KOHP	Tall closet 70 cm	1750 x 295 and 1750 x 395
175-8KOHP	Tall closet 80 cm	2 x 1750 x 395
175-9KOHP	Tall closet 90 cm	1750 x 395 and 1750 x 495
175-10KOHP	Tall closet 100 cm	2 x 1750 x 495
175-11KOHP	Tall closet 110 cm	1750 x 495 and 1750 x 595
175-12KOHP	Tall closet 120 cm	2 x 1750 x 595

Contents

Components (Bottom and sides)	Back panel
Support bar (support)	Bag of nails
Bag of glue	Shelf supports 5 mm
Assembly guide	

Product information

Height 1750 mm, depth 568 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100

pakate.fi




PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

LOW TOP UNIT



Product Code	Note	Door size
YK28-3	Low Top closet, 30 cm	278 x 295
YK28-4	Low Top closet, 40 cm	278 x 395
YK28-5	Low Top closet, 50 cm	278 x 495
YK28-6	Low Top closet, 60 cm	278 x 595
YK28-7	Low Top closet, 70 cm	278 x 295 and 278 x 395
YK28-8	Low Top closet, 80 cm	2 x 278 x 395
YK28-9	Low Top closet, 90 cm	278 x 395 and 278 x 495
YK28-10	Low Top closet, 100 cm	2 x 278 x 495
YK28-11	Low Top closet, 110 cm	278 x 495 and 278 x 595
YK28-12	Low Top closet, 120 cm	2 x 278 x 595

Contents

Components (bottoms 2 pcs and sides 2 pcs)	Back panel
Support bar	Bag of nails
Bag of glue	Assembly guide

Product information

Height 283 mm, depth 568 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

TOP UNIT



Product Code	Note	Door size
YK45-3	Top closet, 30 cm	445 x 295
YK45-4	Top closet, 40 cm	445 x 395
YK45-5	Top closet, 50 cm	445 x 495
YK45-6	Top closet, 60 cm	445 x 595
YK45-7	Top closet, 70 cm	445 x 295 and 562 x 395
YK45-8	Top closet, 80 cm	2 x 445 x 395
YK45-9	Top closet, 90 cm	445 x 395 and 445 x 495
YK45-10	Top closet, 100 cm	2 x 445 x 495
YK45-11	Top closet, 110 cm	445 x 495 and 445 x 595
YK45-12	Top closet, 120 cm	2 x 445 x 595

Contents

Components (bottoms 2 pcs and sides 2 pcs)	Back panel
Support bar	Bag of nails
Bag of glue	Assembly guide

Product information

Height 450 mm, depth 568 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

WALL UNIT



Product Code	Note	Door size
99-3SK	Tall wall cabinet 30 cm	988 x 295
99-4SK	Tall wall cabinet 40 cm	988 x 395
99-5SK	Tall wall cabinet 50 cm	988 x 495
99-6SK	Tall wall cabinet 60 cm	988 x 595
99-7SK	Tall wall cabinet 70 cm	988 x 295 and 988 x 395
99-8SK	Tall wall cabinet 80 cm	2 x 988 x 395
99-9SK	Tall wall cabinet 90 cm	988 x 395 and 988 x 495
99-10SK	Tall wall cabinet 100 cm	2 x 988 x 495
99-11SK	Tall wall cabinet 110 cm	988 x 495 and 988 x 595
99-12SK	Tall wall cabinet 120 cm	2 x 988 x 595

Contents

Components (bottoms 2 pcs and sides 2 pcs)	Shelves 3 pcs
Back panel	Support bars 2 pcs
Bag of nails	Bag of glue
Shelf supports 5 mm 12 pcs	Assembly guide

Product information

Height 988 mm, depth 288 mm or 320 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

WALL UNIT



Product Code	Note	Door size
70-3SK	Wall cabinet 30 cm	703 x 295
70-4SK	Wall cabinet 40 cm	703 x 395
70-5SK	Wall cabinet 50 cm	703 x 495
70-6SK	Wall cabinet 60 cm	703 x 595
70-7SK	Wall cabinet 70 cm	703 x 295 and 703 x 395
70-8SK	Wall cabinet 80 cm	2 x 703 x 395
70-9SK	Wall cabinet 90 cm	703 x 395 and 703 x 495
70-10SK	Wall cabinet 100 cm	2 x 703 x 495
70-11SK	Wall cabinet 110 cm	703 x 495 and 703 x 595
70-12SK	Wall cabinet 120 cm	2 x 703 x 595

Contents

Components (bottoms 2 pcs and sides 2 pcs)	Shelves 2 pcs
Back panel	Support bars 2 pcs
Bag of nails	Bag of glue
Shelf supports 5 mm 8 pcs	Assembly guide

Product information

Height 703 mm, depth 288 mm or 320 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

WALL UNIT



Product Code	Note	Door size
565-3SK	Low Wall cabinet 30 cm	562 x 295
565-4SK	Low Wall cabinet 40 cm	562 x 395
565-5SK	Low Wall cabinet 50 cm	562 x 495
565-6SK	Low Wall cabinet 60 cm	562 x 595
565-7SK	Low Wall cabinet 70 cm	562 x 295 and 562 x 395
565-8SK	Low Wall cabinet 80 cm	2 x 562 x 395
565-9SK	Low Wall cabinet 90 cm	562 x 395 and 562 x 495
565-10SK	Low Wall cabinet 100 cm	2 x 562 x 495
565-11SK	Low Wall cabinet 110 cm	562 x 495 and 562 x 595
565-12SK	Low Wall cabinet 120 cm	2 x 562 x 595

Contents

Components (bottoms 2 pcs and sides 2 pcs)	Shelf 1 pc
Back panel	Support bars 2 pcs
Bag of nails	Bag of glue
Shelf supports 5 mm 4 pcs	Assembly guide

Product information

Height 565 mm, depth 288 mm or 320 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

WALL UNIT 450



Product code	Note	Door size
45-3SK	Wall cabinet 450, 30 cm	445 x 295
45-4SK	Wall cabinet 450, 40 cm	445 x 395
45-5SK	Wall cabinet 450, 50 cm	445 x 495
45-6SK	Wall cabinet 450, 60 cm	445 x 595
45-7SK	Wall cabinet 450, 70 cm	445 x 295 and 562 x 395
45-8SK	Wall cabinet 450, 80 cm	2 x 445 x 395
45-9SK	Wall cabinet 450, 90 cm	445 x 395 and 445 x 495
45-10SK	Wall cabinet 450, 100 cm	2 x 445 x 495
45-11SK	Wall cabinet 450, 110 cm	445 x 495 and 445 x 595
45-12SK	Wall cabinet 450, 120 cm	2 x 445 x 595

Contents

Components (bottoms 2 pcs and sides 2 pcs)	Back panel
Support bar	Bag of nails
Bag of glue	Assembly guide

Product information

Height 450 mm, depth 288 mm or 320 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

WALL CABINET 351



Product code	Note	Door size
351-3SK	Wall cabinet 351, 30 cm	350 x 295
351-4SK	Wall cabinet 351, 40 cm	350 x 395
351-5SK	Wall cabinet 351, 50 cm	350 x 495
351-6SK	Wall cabinet 351, 60 cm	350 x 595
351-7SK	Wall cabinet 351, 70 cm	350 x 295 and 350 x 395
351-8SK	Wall cabinet 351, 80 cm	2 x 350 x 395
351-9SK	Wall cabinet 351, 90 cm	350 x 395 and 350 x 495
351-10SK	Wall cabinet 351, 100 cm	2 x 350 x 495
351-11SK	Wall cabinet 351, 110 cm	350 x 495 and 350 x 595
351-12SK	Wall cabinet 351, 120 cm	2 x 350 x 595

Contents

Components (bottoms 2 pcs and sides 2 pcs)	Back panel
Support bar	Bag of nails
Bag of glue	Assembly guide

Product information

Height 351 mm, depth 288 mm or 320 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

WALL CABINET 285



Product code	Note	Door size
285-3SK	Wall cabinet 285, 30 cm	278 x 295
285-4SK	Wall cabinet 285, 40 cm	278 x 395
285-5SK	Wall cabinet 285, 50 cm	278 x 495
285-6SK	Wall cabinet 285, 60 cm	278 x 595
285-7SK	Wall cabinet 285, 70 cm	278 x 295 and 278 x 395
285-8SK	Wall cabinet 285, 80 cm	2 x 278 x 395
285-9SK	Wall cabinet 285, 90 cm	278 x 395 and 278 x 495
285-10SK	Wall cabinet 285, 100 cm	2 x 278 x 495
285-11SK	Wall cabinet 285, 110 cm	278 x 495 and 278 x 595
285-12SK	Wall cabinet 285, 120 cm	2 x 278 x 595

Contents

Components (bottoms 2 pcs and sides 2 pcs)	Back panel
Support bar	Bag of nails
Bag of glue	Assembly guide

Product information

Height 285 mm, depth 288 mm or 320 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

DISH DRYING CABINET



Product code	Note	Door size
99-3KK	Tall dish drying cabinet 30 cm	988 x 295
99-4KK	Tall dish drying cabinet 40 cm	988 x 395
99-5KK	Tall dish drying cabinet 50 cm	988 x 495
99-6KK	Tall dish drying cabinet 60 cm	988 x 595
99-7KK	Tall dish drying cabinet 70 cm	988 x 295 and 988 x 395
99-8KK	Tall dish drying cabinet 80 cm	2 x 988 x 395
99-9KK	Tall dish drying cabinet 90 cm	988 x 395 and 988 x 495
99-10KK	Tall dish drying cabinet 100 cm	2 x 988 x 495
99-11KK	Tall dish drying cabinet 110 cm	988 x 495 and 988 x 595
99-12KK	Tall dish drying cabinet 120 cm	2 x 988 x 595

Contents

Components (bottom 1 pc and sides 2 pcs)	Shelf 1 pc
Back panel	Support bars 3 pcs
Bag of nails	Bag of glue
Shelf supports 5 mm + dish drying rack supports	Assembly guide

Product information

Height 988 mm, depth 288 mm or 320 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bars 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

The package DOES NOT include a dish drying rack

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE

CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

DISH DRYING CABINET



Product code	Note	Door size
70-3KKM	Dish drying cabinet 30 cm	703 x 295
70-4KKM	Dish drying cabinet 40 cm	703 x 395
70-5KKM	Dish drying cabinet 50 cm	703 x 495
70-6KKM	Dish drying cabinet 60 cm	703 x 595
70-7KKM	Dish drying cabinet 70 cm	703 x 295 and 703 x 395
70-8KKM	Dish drying cabinet 80 cm	2 x 703 x 395
70-9KKM	Dish drying cabinet 90 cm	703 x 395 and 703 x 495
70-10KKM	Dish drying cabinet 100 cm	2 x 703 x 495
70-11KKM	Dish drying cabinet 110 cm	703 x 495 and 703 x 595
70-12KKM	Dish drying cabinet 120 cm	2 x 703 x 595

Contents

Components (bottom 1 pc and sides 2 pcs)	Support bars 3 pcs
Back panel	Shelf supports 5 mm + dish drying rack supports
Bag of nails	Bag of glue
Assembly guide	

Product information

Height 703 mm, depth 288 mm or 320 mm

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF, Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

The package DOES NOT include a dish drying rack

For units wider than 60 cm, the back panel comes in two parts (joining strip included in the delivery)

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100

pakate.fi




PRODUCT CATALOGUE


CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

TALL MICROWAVE CABINET



MICROWAVE CABINET



Product code	Note	Door size
MIKRO5-107	Tall Microwave cabinet 50 cm	703 x 495
MIKRO6-107	Tall Microwave cabinet 60 cm	703 x 595
MIKRO5-99	Tall Microwave cabinet 50 cm	562 x 495
MIKRO6-99	Tall Microwave cabinet 60 cm	562 x 595
MIKRO5-80	Microwave cabinet 50 cm	445 x 495
MIKRO6-80	Microwave cabinet 60 cm	445 x 595
MIKRO5-70	Microwave cabinet 50 cm	350 x 495
MIKRO6-70	Microwave cabinet 60 cm	350 x 595

Contents

Components (Sides 2 pcs; upper, middle and lower bottom)	Shelves 2 pcs (1070mm), 1 pc (988mm)
Back panel	Support bar 1 pc
Bag of nails	Bag of glue
Shelf supports 5 mm	Assembly guide

Product information

Height 1070 mm / 988 mm / 800 mm / 703 mm. Depth 288 mm or 320 mm

Depth of the lower bottom 350 mm.

Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band

Back panel 3 mm MDF

Support bar 18 x 51 mm film-faced plywood

Flat-packed in shrink film


Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

PRODUCT CATALOGUE


CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

WALL CORNER CABINET



LOW WALL CORNER CABINET



Product code	Note	Door size
SKK	Wall corner cabinet 988	988 x 395
SKKM	Low wall corner cabinet 703	703 x 395

Contents

Components (bottoms 2pcs and sides 2 pcs)	Shelves 3 pcs (tall)
MFC – back panels	Shelves 2 pcs (low)
Bag of nails & dowels	Bag of glue
Shelf supports 5 mm 12 pcs	Assembly guide

Product information

Height 703 mm (low), 988 mm (tall), depth 290 mm, width 584 x 584 mm

Material 16 mm white MFC – Melamine Faced Chipboard

Edge banding 1 mm ABS band

Flat-packed in shrink film

Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE


CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

LOW WALL OPEN LOCKER



WALL OPEN LOCKER



Product code	Note
SLAM-2	Low wall open locker 200
SLAM-3	Low wall open locker 300
SLA-2	Wall open locker 200
SLA-3	Wall open locker 300

Contents

Components (bottoms and sides)	Back panel
Bag of glue	Bag of nails
Assembly guide	

Product information

Height 703 mm (SLAM-2 and SLAM-3)
Height 988 mm (SLA-2 and SLA-3)
Depth 288 mm or 320 mm
Width 200 mm (SLA-2 and SLAM-2) and 300 mm (SLA-3 and SLAM-3)
Material 16 mm white MFC – Melamine Faced Chipboard, edge banding 1 mm ABS band
Back panel 3 mm MDF
Flat-packed in shrink film

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100


pakate.fi

PRODUCT CATALOGUE


CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

WALL OPEN END



LOW WALL OPEN END



Product code

Note

SHAK

Wall open end

SHAKM

Low wall open end

Contents

Components (fixed shelves, back panel and side)

Bag of dowels and fixing screws

Assembly guide

Product information

Height 703 mm (SHAKM)

988 mm (SHAK)

Depth 290 mm or 320 mm, Width 301 mm

Material 16 mm white MFC – Melamine Faced Chipboard

Edge banding 1 mm ABS band

Flat-packed in shrink film

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100

pakate.fi


PRODUCT CATALOGUE

CABINET CARCASSES


PATTIJOEN KALUSTETEKNIikka OY

ANGLED OPEN WALL UNIT

Tall and low



STOVE CORNER FITTING (BASE)



Product code

Note

VS_{HA}_EURO

Angled open wall cabinet 988

VS_{HAM}_EURO

Angled open wall cabinet 703

LKSP

Stove corner fitting

Contents

VS_{HA} and VS_{HAM}

Components (bottoms and sides)

Fixed Shelves 3 pcs (tall)

MFC – back panels

Fixed Shelves 2 pcs (low)

Bag of dowels

Bag of glue

Assembly guide

LKSP

Components (bottoms 4 pcs, sides 4 pcs (for two carcasses))

Front panel 2 pcs

Bag of glue

Assembly guide

Product information

VS_{HA} height 703 mm low; 988 mm tall, Depth 348 mm, width 441 mm

LKSP height 715 mm, Depth 565 mm, Width 467,5 mm

Material 16 mm white MFC – Melamine Faced Chipboard

Edge banding 1 mm ABS band

Flat-packed in shrink film

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100

pakate.fi




**STRONGEST IN
FINLAND SILVER**
Pattijoen Kalustetekniikka Oy
FI08463157 | 2024

PRODUCT CATALOGUE


CABINET CARCASSES

PATTIJOEN KALUSTETEKNIikka OY

SPICE RACK / RANGE HOOD
CABINET



LOW SPICE RACK / RANGE HOOD
CABINET



Product code	Note	Door size
MH-5	Spice rack 50 cm	703 x 495 + 137 x 495 front panel
MH-6	Spice rack 60 cm	703 x 595 + 137 x 595 front panel
MHM-5	Low Spice rack 50 cm	445 x 495 + 137 x 495 front panel
MHM-6	Low Spice rack 60 cm	445 x 595 + 137 x 595 front panel

Contents

Components (bottoms 4 -3 pcs and sides 2 pcs)	Back panel
Bag of nails	Bag of glue
Assembly guide	

Product information

Height 845 mm / 585 mm, Depth 93 mm
Material 16 mm white MFC – Melamine Faced Chipboard
Edge banding 1 mm ABS band
Back panel 3 mm MDF
Flat-packed in shrink film
Hinge drills: the center of the hole is 80 mm from the upper and lower edges of the door

Pattijoen Kalustetekniikka Oy
Sorvaajantie 18
92140 Pattijoki
Finland

Phone +358 8 265 9100

pakate.fi